

ASE-9575-BAGDOCK

ASE LAND MOBILE



— ASE BAG DOCK and ASE VEHICLE DOCK —
(both support PTT)

ASE-9575-VEH



ASE-9575-BAGDOCK



ON THE MOVE, ON THE GO - **ALWAYS ON**

ON THE MOVE, ON THE GO - *ALWAYS ON*

- ✔ Grab and Go capable - in or out of vehicle
- ✔ Includes external antenna with magnetic mounting
- ✔ Incoming and outgoing phone calls on the move
- ✔ Easy integration with auxiliary vehicle audio systems
- ✔ Permanent vehicle installation



ALSO AVAILABLE: ASE-9575-HQ

ASE-9575-HQ is a POTS dock that supports both the standard 9575 Extreme and the 9575 PTT. This dock allows for easy integration into a PBX or with wireless base stations.

SYSTEM CONTENTS?

* phone not included



ASE-9575-BAGDOCK

CONTENTS:

- travel bag
- docking cradle
- 3m magnetic mount
- dual antenna
- fist mic/speaker

ASE-9575-VEH

CONTENTS:

- ram mount
- docking cradle
- 3m magnetic mount
- dual antenna
- fist mic/speaker



OPTIONAL ACCESSORIES

ASE-DA07

- 7m ruggedized
- aero antenna



ASE 9575 MOBILE DOCKS

ELECTRICAL SPECIFICATIONS

Operating Voltage	10 - 32 VDC
Power Consumption	12 Watts (Avg Active)
Gain Limit	L1: 26-32 dB FREQ: 1575 ±5 MHZ POL: RHCP BIAS: 3 VDC Cable Impedance: 50 ohm SMA Male
DC Powered	Iridium Adapter/Charger

ENVIRONMENTAL SPECIFICATIONS

Operating Temp Range	0°C to +70°C
Exposure	Indoor

MECHANICAL DIMENSIONS

Dimensions	13L x 6W x 4.5H inches	(33 x 15 x 11.43 cm)
Weight	3.5 lbs	(1.58kg)
Mounting	Optional vehicle mount	

SHIPPING DIMENSIONS

Dimensions	14L x 10W x 6H inches	(36 x 25 x 15 cm)
Weight	5 lbs	(2.27 kg)